

10% openness Landscape Sunscreen

Features

The 2 x 2 basketweave construction of Landscape provides great stability and excellent vision out whilst controlling light, glare and heat. Colours are available in 5% and 10% openness, providing a level of day time privacy without compromising your view.

Care Instructions

Dusting with a feather duster is all that is required to keep your fabric looking good. Dirt and grime can be removed by simply wiping fabric skins with a sponge soaked in lukewarm water. If marks are still visible, add a little detergent. Then dry gently with a clean cloth.

Colour Options







Landscape 10% openness Sunscreen

Technical information

Fabric Density	Semi Transparent
Composition	32% Fibreglass, 68% PVC
Weight	410 gsm ± 5%
Thickness	0.42mm (approx.)
Width	2500m and 3100mm width, dependent on colour
Colour Fastness	6-7 (AS 2001.4.21)
Flame Retardancy	Independently tested to AS1530 part 2. Flammability Index: 4 Range [0-20]
Weave	2 x 2 Basketweave
Organic emissions (VOC)	Does not exceed the maximum VOC (Volatile Organic Compound) criteria specified by the Green Building Council of Australia (IEQ-11).
Product Options	Rollershades, Roman Blinds, Panel Glide

Fabric colour	Charcoal/ Cocoa	Charcoal/ Charcoal	Charcoal/ Grey	White/ Pearl	White/ White	
Optical/Light properties						
Visual Light Transmittance	11%	12%	11%	17%	22%	
Openness factor (nominal)	10%	10%	10%	10%	10%	
Heat/Solar properties						
Solar transmittance	11%	12%	12%	20%	25%	
Solar reflectance	5%	3%	8%	50%	66%	
Solar absorbance	84%	85%	80%	30%	9%	
G-value / Solar heat gain coefficient						
Glazing Type - Single 4mm Clear Glass	0.70	0.71	0.68	0.45	0.36	

For more information please contact New Zealand Window Shades on 0800 223 224 or http://www.luxaflex.co.nz/contact-us

Colour Options



New Zealand Window Shades Ltd.

PO Box 12 785, Penrose , Auckland 1642, New Zealand Luxaflex[®] is a division of New Zealand Window Shades Ltd. ©Copyright 2016 New Zealand Window Shades Ltd.

September 2016



